

Signature	Revision History	Date	Rev.
	For Bulk Production	Dec:08,2007	01

1	2	3	4	5	6	7																							
A																													
B																													
C																													
D																													
E	<p>NOTES:</p> <p>1.CABLE:NON-UL 28AWG(7/0.127 T.C)*9C+DRAIN WIRE+AL-FOIL/MYLAR PVC JACKET , COLOR:BLACK,OD:Ø5.0±0.2mm</p> <p>2.CONNECTOR:</p> <p>P1:DB9P MALE GOLD FLASH CONTACT;NICKEL PLATED SHELL .</p> <p>P2:DB9P FEMALE GOLD FLASH CONTACT;NICKEL PLATED SHELL .</p> <p>3.HOOD: FIRST MOLD:MOULDED TYPE,PVC 30P,COLOR:LIGHT GREY(PANTONE 430C) SECOND MOLD:MOULDED TYPE,PVC 45P COLOR:BLACK.</p> <p>4.ELECTRICAL TEST:</p> <p>100% OPEN SHORT MIS WIRE TEST CONTACT RESISTANCE 3 Ω MAX .</p> <p>INSULATION RESISTANCE 5M Ω MIN .</p> <p>5.PACKING:SEE P-0039 PACKING DRAWING (BINDING SIZE MUST BE SMALLER THAN BLISTER)</p>																												
F	<p>PIN OUT</p> <table border="1"> <tr> <td>P1</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>SHELL</td> </tr> <tr> <td>P2</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>SHELL</td> </tr> </table> <p style="text-align: center;">DRAIN</p>						P1	1	2	3	4	5	6	7	8	9	SHELL	P2	1	2	3	4	5	6	7	8	9	SHELL	
P1	1	2	3	4	5	6	7	8	9	SHELL																			
P2	1	2	3	4	5	6	7	8	9	SHELL																			
G	<table border="1"> <tr> <td>Drawn by</td> <td>Dec:08,2007</td> <td>N. Xu</td> </tr> <tr> <td>Checked by</td> <td>Dec:08,2007</td> <td>ALDan</td> </tr> <tr> <td>Approved by</td> <td>Dec:08,2007</td> <td>T.Aulemann</td> </tr> </table> <p>Part No. DK-113021</p>						Drawn by	Dec:08,2007	N. Xu	Checked by	Dec:08,2007	ALDan	Approved by	Dec:08,2007	T.Aulemann														
Drawn by	Dec:08,2007	N. Xu																											
Checked by	Dec:08,2007	ALDan																											
Approved by	Dec:08,2007	T.Aulemann																											
H	<p>Serial Cable, Extension,D-Sub9 2 COLOR MOLD WITH DIGITUS LOGO</p> <p>Scale N/A Unit MM</p> <p>Sheet 1/1</p>																												

RoHS Compliant

STR1407